


# FILTER PRESSES

We are proud to present the new **CDLWESFAB** filter press.



CDL and WESFAB combined their forces to come out with a new line of high quality filter presses to increase performance and improve the filtration process in your sugarhouse.



Option : WFCDL15DEF

**MADE ENTIRELY IN CANADA AND THE UNITED STATES**

**LIGHT AND COMPACT CONSTRUCTION**

**EASY TO MOVE**

### ADVANTAGES (15" PRESSES)

- Tightening with a 12 tons hydraulic cylinder actuated by air or manually (compressed air not required);
- Drip tray connected to the pump (Useful for closed loop de-sugaring or for pumping syrup from the tray);
- Bypass valve installed on the front plate for greater efficiency;
- Drainage of the inlet and outlet in the drip tray through the front plate;
- Air drainage (optional);
- Reverse air flow in the press outlet to extend filtration (optional).

### 15" PRESS

7 hollow / 6 waffles	WFCDL1576
8 hollow / 7 waffles	WFCDL1587
9 hollow / 8 waffles	WFCDL1598
10 hollow / 9 waffles	WFCDL15109

### AVAILABLE OPTIONS:

Air dia. pump kit 1/2"	WFCDL15ADP12
Air dia. pump kit 1"	WFCDL15ADP1
Dia. pump kit 120v 1/2" 5.3 GPM	WFCDL15EDP1253
Air inlet kit <small>The air supply must be filtered using the 66345657K air filter kit.</small>	WFCDL15AIRI
Air outlet kit <small>The air supply must be filtered using the 66345657K air filter kit.</small>	WFCDL15AIRO
Coalescent filter option + vapor air line	66345657K
Splash guard	WFCDL15DEF

Prices are available upon request.

### Caution

The air supply (WFCDL15AIRI et WFCDL15AIRO) must be filtered using the 66345657K air filter kit.

# CUSTOMIZE YOUR FILTER PRESS

WITH OUR MANY OPTIONS!

## FILTER PRESSES



### ADVANTAGES (7" AND 10" PRESSES)

- Reclinable press (0, 45 and 90 degrees with the cart option) to facilitate the replacement of filter papers;
- Removable pump kit (to use on another filter press).

#### 10" PRESS

3 hollow / 2 waffles	WFCDL1032
4 hollow / 3 waffles	WFCDL1043
7 hollow / 6 waffles	WFCDL1076
8 hollow / 7 waffles	WFCDL1087

#### AVAILABLE OPTIONS:

Air dia. pump kit 1/2"	WFCDL10ADP12
Dia. pump kit 120v 1/2" 3 GPM	WFCDL10EDP123
Dia. pump kit 120v 1/2" 5.3 GPM	WFCDL10EDP1253
Filter press cart	WFCDL10CH

Prices are available upon request.

#### 7" PRESS

Short filter press + manual diaphragm. pump 3 hollow / 2 waffles	WFCDL7M
3 hollow / 2 waffles	WFCDL732
4 hollow / 3 waffles	WFCDL743
7 hollow / 6 waffles	WFCDL776
8 hollow / 7 waffles	WFCDL787

#### AVAILABLE OPTIONS:

Air dia. pump kit 1/2"	WFCDL7ADP12
Dia. pump kit 120v 1/2" 3 GPM	WFCDL7EDP123
Dia. pump kit 120v 1/2" 5.3 GPM	WFCDL7EDP1253
Filter press cart	WFCDL7CH

Prices are available upon request.

Clamped sight glass ferrule 1 1/2" 6600150

Clamped sight glass ferrule 2" 6600200



# FILTER PRESSES

## ELECTRIC DIAPHRAGM PUMP KIT



**Quick and easy installation.**  
For filter press pumping or hot syrup transfer.

Motor 115V  
5.3 GPM | 60 PSI



Electric diaphragm pump with support

669653A

## FILTER PRESS PUMPS



1/2" Diaphragm pump (aluminum)

669585



1" Diaphragm pump (aluminum)

669601

### Lead free

1/2" Oberdorfer pump repair kit

664000BR1L

## SELF-CLEANING FILTER PRESSES



### Caution

Requires the use of an air compressor and a good supply of water or permeate.

### ADVANTAGES

- Technology that revolutionizes the cleaning operation of syrup press plates;
- De-sugaring and washing the plates without any syrup loss;
- Ultra fast and very efficient washing without removing the plates;
- Takes only **5 minutes** to wash the plates and repeat the filtration process;
- Reduces the cost of using filter papers by **90%**.

### INCLUDES:

- Support
- Drain Manifold with valves
- Pressure Gauges
- Coalescent and steam filter for compressed air

### NOT INCLUDED:

- Pump option
- Feed and drainage (washing water) plumbing

Self-cleaning 10" press  
7 hollow plates, 6 full plates

6660010A

Prices are available upon request.

## SELF-CLEANING PRESS FELT FILTERS



Self-cleaning press felt filters  
66852

\$40.75 /pkg 16

